

Action table: Breathe - the overdose game <http://killpeople.com/breathe/>

This table describes how button clicks translate into underlying 'actions' which are used by the game program to decide what will happen next.

© 2002 Peter Davidson and Jon Rogers.

action	action effect	%	alt action	verbiage
dump the body	leave	100		If you have to do this, at least think about calling 911 first and telling them where the person is. If you can't even do that, you could also drag them to somewhere where some
leave	leave	100		If you have to do this, at least think about calling 911 first and telling them where the person is. If you can't even do that, you could also drag them to somewhere where some
nothing	nothing	100		Doing nothing to someone who isn't concious isn't such a great idea. At least make sure they're still breathing.
inject with speed	stimulate	20	nothing	This sometimes works, but basically because you're hurting them. It's just as effective to pinch their ears or slap them
inject with cocaine	stimulate	20	nothing	This sometimes works, but basically because you're hurting them. It's just as effective to pinch their ears or slap them
inject with saline	stimulate	20	nothing	This sometimes works, but basically because you're hurting them. It's just as effective to pinch their ears or slap them (and you don't waste crucial time mixing salt with water and
inject with milk	stimulate	20	nothing	This sometimes works, but basically because you're hurting them. It's just as effective to pinch their ears or slap them (and you don't waste crucial timefinding the milk and stuff).
inject with narcan	narcan	100		The narcan is going to start wearing off in as little as 20 minutes, and the dope they've already taken will last a lot longer - so make sure someone stays around in case they go out
stick ice down their pants	stimulate	20	nothing	This sometimes works, but basically because you're hurting them. It's just as effective to pinch their ears or slap them (and they're less liklely to go into shock from the cold).
stick ice up their butt	stimulate	20	nothing	This sometimes works, but basically because you're hurting them. It's just as effective to pinch their ears or slap them (and they're less liklely to go into shock from the cold).
put them in a cold shower	stimulate	30	nothing	This sometimes works, but basically because of the movement and the discomfort of the cold water. It's just as effective to pinch their ears or slap them (and they're less liklely to go
put them in a bath	stimulate	30	nothing	This sometimes works, but basically because of the movement and the discomfort of the cold water. It's just as effective to pinch their ears or slap them (and they're less liklely to go
slap them around	stimulate	90	nothing	Good choice. If this doesn't work, you're gonna need to do rescue breathing or call 911 (or both).
rub their sternum with knuckles	stimulate	90	nothing	Good choice. If this doesn't work, you're gonna need to do rescue breathing or call 911 (or both).
pinch their ears	stimulate	90	nothing	Good choice. If this doesn't work, you're gonna need to do rescue breathing or call 911 (or both).
kick them in the crotch	stimulate	30	nothing	This sometimes works, but basically because you're hurting them. It's just as effective to pinch their ears or slap them (and they're less liklely to want to kill *you* when they
put them in recovery position	stimulate	100		Good choice. This will help them breathe while you work out
call 911	911	100		Good choice. If there's more than one of you there, have someone clean up any needles and shit laying around, and take their ID if you think they have warrants. Emergency staff
do rescue breathing/ EAR	ear	100		Good choice. Keep that head tilted back.
do heart massage	cpr	80	stimulate	If their pulse has stopped, this is a good thing to do, but it's a really bad sign and what is really going to give them any chance of living is calling 911 if you haven't already.
check/clear airway	check/clear airway	100		Don't forget to clear the airway before you tilt their head back to open the airway, otherwise they could suck vomit and
check breathing	check respiration	100		Put your hand on their stomach at the bottom of the ribcage - if you can feel movement they're breathing.
check pulse / circulation	check pulse	100		It's usually easier to find a pulse on their throat than their wrist, but do whatever works for you. Don't use your thumb -

Legend

action: the user seen name for the action

action effect: the internal name for the action

?: the percentage indicating how often you get the desired result

alt action: the internal name of the action that should occur if the intended action was not

verbiage: words to give the user after the action was chosen